



MICO Heavy Duty T Handle Range

*MICO Stainless Steel T Handle Range with
Low-Profile Surface and Recess Mounted options.*





T HANDLES

Designed as a low profile, low projection alternative to conventional lever handle styles, the MICO Heavy Duty T Handle Range are made from high quality stainless steel designed to withstand physical attacks, acts of vandalism and corrosion.

We offer two external mounting options, with either a recess mounted or low-profile surface mounted T Handle providing the same high quality unsprung, non-handed, secure lever for operating mortice or surface mounted locks and latches.

We also offer an internal T Handle, designed for doors in public walkways that require handle furniture with low or no outward projection.



T Handle Recessed



T Handle Internal

OPTIONS

T Handles are non-handed and are simply turned to activate or deactivate the locking or latch mechanism.

FEATURES

- Full stainless-steel construction with a brushed finish.
- Supplied with an 150mm long 8mm diameter square spindle as standard, although longer spindle lengths are available on request to suit thicker doors.
- Internal T Handle option also available.

BENEFITS

- Tested to over one million cycles.
- Suitable for retrofitting and compatible with locks or latches with an 8mm square follower.
- Designed for remote and exposed applications such as cabinets, cupboard, sliding and bi-fold doors, enclosure doors, shipping containers and other doors and lockers in areas that require non-projecting furniture.
- Marine-grade stainless steel offers enhanced corrosion protection and security.

OPTIONS

As our T Handle range is suitable for both timber and steel doorsets, we supply stainless steel machine screws as standard, with woodscrew fixings also available on request.

Low Profile Surface Mounted – A surface mounted T Handle with a 28mm projection out of the door surface.


Recess Mounted – A T Handle that sits within a recess within the door itself, adding almost no projection outside of the door.

Internal – A T Handle without an external housing.



T Handle Surface

TECHNICAL DRAWINGS



CODING SYSTEM

The MICO T Handle Range has a simple code that covers the chosen methods of entry and exit, followed by additional options.

Example Order Code – MICO T Handle 004-SA112

Range	Product Code	Description
T-Handle	004-SA112	External Recess mounted T Handle
	004-SA128	External Low profile surface mounted T Handle
	004-SA134	Internal T Handle



Assessed to ISO 9001
LPCB Cert. No. 608

Tindall Engineering Ltd
Unit 8, Laurel Trading Estate,
Higginshaw Lane,
Royton, Oldham,
OL2 6LH
United Kingdom

+44 (0)161 620 0666
sales@mico-tindall.com
www.mico-tindall.com